

Work Order ID 146066

Friday, May 06, 2016 8:58:41 AM

146066

Page 1

Item ID: D412-724-041

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Head Rest Assembly, Center

Start Date: 5/4/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 5/14/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: dm Date: 6/05/09 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***
Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
N/A	Rev N/A								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork		If D412-724-041 is a W/O on it's own, Photocopy bluefile and create labels per PPP D412-724-041 CHG001							
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.09							
Quality Control									

3x DAS 21 9-89 1607-06 (3)
JUL 08 2016

3 PC 1607-06 (3)
JUL 08 2016

3x DAS 28 9-89
JUL 08 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐					
OTHER : ☐									

Work Order ID 146066

Friday, May 06, 2016 8:58:41 AM

146066

Page 2

Item ID: D412-724-041

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Head Rest Assembly, Center

Start Date: 5/4/2016 Start Qty: 3.00

3

Cust Item ID:

Required Date: 5/14/2016 Req'd Qty: 3.00

3

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130		0.00							
130	Packaging					<u>3x</u>	DAS 28 9-89	JUL 08 2016	
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D412-724-041 Location: FG017								
140	QC21- Final Inspection - Work Order Release	0.00							
140							DAS 21 9-89	JUL 08 2016	
QC	Memo	0.30							
Quality Control							DAS 21 9-89	JUL 08 2016	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
Root Cause				FAULT CATEGORY					
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : ☐									

Picklist Print

Friday, May 06, 2016 8:58:41 AM

Page 1

Work Order ID: 146066

146066

Parent Item: D412-724-041

D412-724-041

Parent Item Name: Head Rest Assembly, Center

Start Date: 5/4/2016

Required Date: 5/14/2016

Start Qty: 3.00

Required Qty: 3.00

Comments: IPP Rev:A04.09.08New IssueKJ/JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN525-10R6 *AN525-10R6* Screw		Purchased	No			120	Each	380.0000	4	12			
									**	12			PC

DAS
28
9-89

Location

Loc Qty

Loc Code

ST329

380

M134502

380

D3303-041

Manufactured No

120

Each

0.0000

1

3

D3303-041

Head Rest

28
9-89

145166

~~BT95 842~~ PC

D3304-041

Manufactured No

120

Each

0.0000

1

3

D3304-041

Tube Assembly

DAS
28
9-89

B144764 PC

JUL 06 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval				
Description Work Order Deviation				Disposition				Completed By			
								Lead hand / Supervisor Approval Verification			
										QC / QA Coordinator Approval	
Root Cause				FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐		Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐		Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐		Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	
OTHER : _____											

REFERENCE ONLY**3.0 INSTALLATION PROCEDURE****To install a Dart Head Rest Assembly:**

- 3.1 If installed, remove the existing Head Rest Assembly by pulling the quick release pin that attaches it to the seat. Make note of the installation position (if applicable).
- 3.2 Inspect the seat for damage in the vicinity of the Head Rest Assembly. Consult the Aircraft Maintenance Manual for disposition if damage is observed.
- 3.3 If only replacing the Head Rest with the equivalent Dart D3303-041 Head Rest, separate the existing Head Rest from the existing Tube Assembly by undoing 4 screws. Re-assemble D3303-041 Head Rest with existing Tube Assembly by installing 4 screws and tightening to 15-25 in lb.
- 3.4 If only replacing the Tube Assembly with a Dart D3304-041/-043/-044 Tube Assembly, separate the existing Head Rest from the existing Tube Assembly by undoing 4 screws. Re-assemble existing Head Rest with Dart D3304-041/-043/-044 Tube Assembly by installing 4 screws and tightening to 15-25 in lb.
- 3.5 Slide the new or modified Head Rest Assembly into the seat tube and lock in place at the same location that the old Head Rest Assembly was installed (if applicable) using the quick release pin. Ensure pin is properly engaged.

4.0 WEIGHT AND BALANCE

There is negligible weight change associated with the installation of the Dart Head Rests.

5.0 PARTS LIST

QTY -011	QTY -041	QTY -043	QTY -044	Part Number	Description
X				D412-724-011	Dart Replacement Head Rest Kit, for 205/212/412
2	X			D412-724-041	Head Rest Assembly, Center
1		X		D412-724-043	Head Rest Assembly, LH
1			X	D412-724-044	Head Rest Assembly, RH
	1	1	1	D3303-041	Head Rest
	1			D3304-041	Tube Assembly
		1		D3304-043	Tube Assembly
			1	D3304-044	Tube Assembly
	4	4	4	AN525-10R6	Screw